

7
YEAR

LDV WARRANTY

**DELIVER 9
BIGGER**



LDV

DELIVER 9 BIGGER

7
YEAR

LDV WARRANTY

The **LDV Deliver 9 Bigger** is a top choice for Kiwi business' mid-range van needs, providing extra cargo space while retaining manoeuvrability. This new generation model adds Blind Spot Detection, Lane Change Assist, Emergency Lane Keeping and Autonomous Emergency Braking with Pedestrian and Cyclist Collision Mitigation to help keep you safer on the road.

POWER AT THE CORE

Introducing the 2024 LDV Deliver 9's Euro VI 2.0L turbo diesel with upgraded power of 128kW and 420Nm of torque, engineered with Bosch's cutting-edge technology, and driven with an 8-speed ZF Auto. Mounted longitudinally for rear-wheel drive, the engine guarantees optimal performance, fuel efficiency, and emissions minimisation with its innovative common rail fuel injection system.



WORK IN COMFORT

Discover ultimate comfort and functionality electric power steering, and 8-way adjustable driver's seat with fold down armrest. Transform your passenger seat into a mobile office with cup and laptop holders. Stay organised with ample under seat and overhead storage.



Command your van's infotainment system effortlessly via the new upgraded 12.3-inch infotainment system (up from 10.1-inch on MY23 vehicles), which comes complete with Apple CarPlay®, Android Auto™, digital radio and a high-definition rearview camera (not available in the cab chassis variant).

KEY TO EFFICIENCY

Unleash the power of efficiency with this spacious van designed for seamless load handling. Experience swift and secure loading through the Deliver 9 Bigger's expansive 236-degree rear barn doors, which open wide to accommodate forklift or dock loading with ease to fit 10.97m³ of cargo and a 1,600kg payload. Deliver 9 Bigger offers effortless loading, thanks to the low floor clearance and integrated rear step.

DELIVER 9	VOLUME	PAYLOAD
Big	9.69m³	1,100-1,450kg*
Bigger	10.97m³	1,100-1,600kg*
Biggest	12.33m³	1,580kg*



CUSTOMISATION

Talk to us about colour choices, customisation, signwriting, parts and accessories – we'll see you right.

DELIVER 9 BIGGER

7 YEAR

LDV WARRANTY

Perfect for urban deliveries, commercial ventures, or logistical operations, its user-friendly design facilitates easy loading, while the spacious interior adapts to diverse cargo requirements, ensuring dependable performance in any task.



CARRIES: 10.97M³ OF ANYTHING

Cargo area (mm)

3,413(L) x 1,800(W) x 1,792(H)

Double sliding doors

Rear barn doors

Low floor clearance



SEE FULL RANGE
HERE



POWERED BY:

THE 2.0 LITRE TURBO-DIESEL ENGINE

Power: 128kW

Torque: 420Nm

- 8 speed ZF auto
- Rear Wheel Drive
- Eco and Power mode
- Engine Stop/Start System

KEY FEATURES

- 12.3" Infotainment display with Apple CarPlay® & Android Auto™
- Wide view rear overhead camera
- Adaptive Cruise Control
- Hill Hold Assist
- Front and rear parking sensors
- Dual sliding doors
- Warranty 7-Years/200,000km* (whichever occurs first)

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

*The warranty is for a period of 7 years or 200,000kms / 160,000kms for EVs (whichever comes first), from the date of first registration, provided that the vehicle is serviced as per the maintenance schedule set out in the Service & Warranty Booklet. It covers manufacturing defects caused by factors such as design, assembly, and raw materials of the covered parts along with all-inclusive roadside assistance. It excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents, or unauthorised repairs. Warranty claims require proof of purchase and service records. This warranty complies with local laws and does not affect your statutory rights. This is valid on all vehicles registered on or after 1 December 2024. For full details, visit <https://ldv.co.nz/warranty/>.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz

For more information, visit ldv.co.nz



DELIVER 9 MY24 RANGE

TECHNICAL SPECIFICATION



	BIG	BIG HEAVY DUTY	BIGGER	BIGGER HEAVY DUTY	BIGGEST	CAB CHASSIS L3	CAB CHASSIS L4	MINIBUS 12 SEATER	MINIBUS 14 SEATER
Engine									
Engine	2.0L turbo diesel engine	2.0L turbo diesel engine	2.0L turbo diesel engine	2.0L turbo diesel engine	2.0L turbo diesel engine	2.0L turbo diesel engine	2.0L turbo diesel engine	2.0L turbo diesel engine	2.0L turbo diesel engine
Maximum Power (kW/rpm)	128.5kW @ 3500rpm	128.5kW @ 3500rpm	128.5kW @ 3500rpm	128.5kW @ 3500rpm	128.5kW @ 3500rpm	128.5kW @ 3500rpm	128.5kW @ 3500rpm	128.5kW @ 3500rpm	128.5kW @ 3500rpm
Maximum Torque (Nm/rpm)	420Nm @1500-2400rpm	420Nm @1500-2400rpm	420Nm @1500-2400rpm	420Nm @1500-2400rpm	420Nm @1500-2400rpm	420Nm @1500-2400rpm	420Nm @1500-2400rpm	420Nm @1500-2400rpm	420Nm @1500-2400rpm
Displacement	1996cc	1996cc	1996cc	1996cc	1996cc	1996cc	1996cc	1996cc	1996cc
Compression Ratio	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1	15.9 : 1
No. of Valves	16	16	16	16	16	16	16	16	16
No. of Cylinders	4	4	4	4	4	4	4	4	4
Bore x Stroke (mm)	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92	83 x 92
Emissions Standard	Euro VI	Euro VI	Euro VI	Euro VI	Euro VI	Euro VI	Euro VI	Euro VI	Euro VI
Eco/Power Mode	•	•	•	•	•	•	•	•	•
Engine Stop/Start System	•	•	•	•	•	•	•	•	•
Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive	Rear Wheel Drive
8 speed ZF automatic	•	•	•	•	•	•	•	•	•
Fuel Tank (Litres)	80	80	80	80	80	80	80	80	80
Steering & Handling									
Steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering	Electric power steering

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

Terms and conditions: *The warranty is valid for vehicles registered on or after 1 January 2025 and covers a period of 7 years or 200,000kms (whichever comes first) for Internal Combustion Engine (ICE) powered vehicles or 7 years or 160,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues such as design, assembly, or raw materials in covered parts but excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents or unauthorised repairs. To maintain the warranty, the vehicle must be serviced as per the maintenance schedule set out in the Service & Warranty Booklet. Warranty claims require proof of purchase and service records. The initial Warrant of Fitness (WOF) is provided at vehicle registration, with subsequent annual inspections required from the 3rd year. This warranty covers the subsequent WOF inspections at years 3, 4, 5, 6, 7 at an LDV Authorised Service Centre. This warranty complies with local laws and does not limit or exclude your statutory right under the Consumer Guarantees Act. Exclusions apply: COF inspections and certification costs for Deliver 9 (heavy-duty) vehicles are not covered by the LDV Warranty. Warranty coverage applies to eligible WOF vehicles.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz

For more information, visit ldv.co.nz



DELIVER 9 MY24 RANGE

TECHNICAL SPECIFICATION



	BIG	BIG HEAVY DUTY	BIGGER	BIGGER HEAVY DUTY	BIGGEST	CAB CHASSIS L3	CAB CHASSIS L4	MINIBUS 12 SEATER	MINIBUS 14 SEATER
Front Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension	Macpherson Independent Suspension
Rear Suspension	Dependent, leaf springs Suspension	Dependent, leaf springs Suspension	Dependent, leaf springs Suspension	Dependent, leaf springs Suspension	Dependent, leaf springs Suspension	Dependent, leaf springs Suspension	Dependent, leaf springs Suspension	Dependent, leaf springs Suspension	Dependent, leaf springs Suspension
Wheels & Tyres	16" steel wheels with full size spare 235/65R16C tyres	16" steel wheels with full size spare 235/65R16C tyres	16" steel wheels with full size spare 235/65R16C tyres	16" steel wheels with full size spare 235/65R16C tyres	16" steel wheels with full size spare 235/65R16C tyres	16" steel wheels with full size spare 195/75R16C tyres	16" steel wheels with full size spare 195/75R16C tyres	16" steel wheels with full size spare 235/65R16C tyres	16" steel wheels with full size spare 235/65R16C tyres
Brakes									
Front Brakes	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc
Rear Brakes	Solid disc brake	Solid disc brake	Solid disc brake	Solid disc brake	Solid disc brake	Ventilated disc	Ventilated disc	Solid disc brake	Solid disc brake
Dimensions									
Length – excluding rear camera (mm)	5546	5546	5940	5940	5940	6200	6680	5940	5940
Width – including mirrors (mm)	2466	2466	2466	2466	2466	2466	2466	2466	2466
Height – excluding rear camera (mm)	2555	2555	2535	2535	2755	2320	2320	2525	2525
Wheel base (mm)	3366	3366	3760	3760	3760	3760	4048	3760	3760
Turning circle (m)	12.9±1	12.9±1	14.1±1	14.1±1	14.1±1	14.1±1	15.2±1	14.1±1	14.1±1
Cargo area length (mm)	3019	3019	3413	3413	3413	NA	NA	NA	NA
Cargo area width (mm)	1800	1800	1800	1800	1800	NA	NA	NA	NA
Cargo area height (mm)	1792	1792	1792	1792	2012	NA	NA	NA	NA
Width between wheel arches (mm)	1366	1366	1366	1366	1366	NA	NA	NA	NA

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

Terms and conditions: *The warranty is valid for vehicles registered on or after 1 January 2025 and covers a period of 7 years or 200,000kms (whichever comes first) for Internal Combustion Engine (ICE) powered vehicles or 7 years or 160,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues such as design, assembly, or raw materials in covered parts but excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents or unauthorised repairs. To maintain the warranty, the vehicle must be serviced as per the maintenance schedule set out in the Service & Warranty Booklet. Warranty claims require proof of purchase and service records. The Initial Warrant of Fitness (WOF) is provided at vehicle registration, with subsequent annual inspections required from the 3rd year. This warranty covers the subsequent WOF inspections at years 3, 4, 5, 6, 7 at an LDV Authorised Service Centre. This warranty complies with local laws and does not limit or exclude your statutory right under the Consumer Guarantees Act. Exclusions apply: COF inspections and certification costs for Deliver 9 (heavy-duty) vehicles are not covered by the LDV Warranty. Warranty coverage applies to eligible WOF vehicles.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz

For more information, visit ldv.co.nz



DELIVER 9 MY24 RANGE

TECHNICAL SPECIFICATION



	BIG	BIG HEAVY DUTY	BIGGER	BIGGER HEAVY DUTY	BIGGEST	CAB CHASSIS L3	CAB CHASSIS L4	MINIBUS 12 SEATER	MINIBUS 14 SEATER
Rear door opening width (mm)	1570	1570	1570	1570	1570	NA	NA	1570	1570
Rear door opening height (mm)	1656	1656	1656	1656	1864	NA	NA	1606	1606
Side door opening width (mm)	1269	1269	1269	1269	1269	NA	NA	850	850
Side door opening height (mm)	1674	1674	1674	1674	1674	NA	NA	1674	1674
Gross vehicle mass (kg)	3500	3800	3500	4000	4000	4495	4495	4050	4050
Front axle capacity (kg)	1570	1672	1695	1800	1800	1708~1753	1573~1708	1790	1790
Rear axle capacity (kg)	1930	2128	1805	2200	2200	2742~2787	2787~2922	2260	2260
Payload (kg)	1150	1450	1100	1600	1580	2385	2375	1345	1310
Tare weight (kg)	2291	2291	2341	2341	2361	NA	NA	2646	2681
Kerb weight (kg)	2350	2350	2400	2400	2420	2110	2120	2705	2740
Braked towing capacity (kg)	2800	2800	2800	2800	2800	2800	2800	2500	2500
Unbraked towing capacity (kg)	750	750	750	750	750	750	750	750	750
Cargo volume (m3)	9.69	9.69	10.97	10.97	12.33	NA	NA	NA	NA

Safety & Security									
Blind Spot Detection (BSD)	•	•	•	•	•	-	-	•	•
Lane Change Assist (LCA)	•	•	•	•	•	-	-	•	•
Emergency Lane Keeping (ELK)	•	•	•	•	•	•	•	•	•
Door Opening Warning (DOW)	•	•	•	•	•	-	-	•	•
Lane Departure Warning (LDW)	•	•	•	•	•	•	•	•	•
Anti Skid Braking System (ABS)	•	•	•	•	•	•	•	•	•
Electronic Stability Program (ESP)	•	•	•	•	•	•	•	•	•

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

Terms and conditions: *The warranty is valid for vehicles registered on or after 1 January 2025 and covers a period of 7 years or 200,000kms (whichever comes first) for Internal Combustion Engine (ICE) powered vehicles or 7 years or 160,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues such as design, assembly, or raw materials in covered parts but excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents or unauthorised repairs. To maintain the warranty, the vehicle must be serviced as per the maintenance schedule set out in the Service & Warranty Booklet. Warranty claims require proof of purchase and service records. The Initial Warrant of Fitness (WOF) is provided at vehicle registration, with subsequent annual inspections required from the 3rd year. This warranty covers the subsequent WOF inspections at years 3, 4, 5, 6, 7 at an LDV Authorised Service Centre. This warranty complies with local laws and does not limit or exclude your statutory right under the Consumer Guarantees Act. Exclusions apply: COF inspections and certification costs for Deliver 9 (heavy-duty) vehicles are not covered by the LDV Warranty. Warranty coverage applies to eligible WOF vehicles.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz

For more information, visit ldv.co.nz



DELIVER 9 MY24 RANGE

TECHNICAL SPECIFICATION



	BIG	BIG HEAVY DUTY	BIGGER	BIGGER HEAVY DUTY	BIGGEST	CAB CHASSIS L3	CAB CHASSIS L4	MINIBUS 12 SEATER	MINIBUS 14 SEATER
Electronic Brake Force Distribution (EBD)	•	•	•	•	•	•	•	•	•
Brake Assist System (BAS)	•	•	•	•	•	•	•	•	•
Hill Hold Assist (HHA)	•	•	•	•	•	•	•	•	•
Autonomous Emergency Braking (AEB)	•	•	•	•	•	•	•	•	•
Adaptive Cruise Control (ACC)	•	•	•	•	•	•	•	•	•
Reverse parking sensors x 4	•	•	•	•	•	NA	NA	•	•
Front parking sensors x 4	•	•	•	•	•	•	•	•	•
Driver and front passenger front, side and curtain airbags	•	•	•	•	•	•	•	•	•
Remote central locking	•	•	•	•	•	•	•	•	•
Push Button Start	•	•	•	•	•	-	-	-	-
Halogen headlights and bulb tail lights	•	•	•	•	•	•	•	•	•
HD Reverse Camera	•	•	•	•	•	NA	NA	•	•
External Features									
Wing mirrors - powered, heated, integrated indicators	•	•	•	•	•	•	•	•	•
Electric heated rear window	•	•	•	•	•	NA	NA	•	•
Dual sliding door	•	•	•	•	•	NA	NA	-	-
Single passenger side sliding door	-	-	-	-	Optional	NA	NA	•	•
Integrated rear step	•	•	•	•	•	NA	NA	•	•
Fog lights - Rear	•	•	•	•	•	•	•	•	•
Fog lights - Front	•	•	•	•	•	•	•	•	•

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

Terms and conditions: *The warranty is valid for vehicles registered on or after 1 January 2025 and covers a period of 7 years or 200,000kms (whichever comes first) for Internal Combustion Engine (ICE) powered vehicles or 7 years or 160,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues such as design, assembly, or raw materials in covered parts but excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents or unauthorised repairs. To maintain the warranty, the vehicle must be serviced as per the maintenance schedule set out in the Service & Warranty Booklet. Warranty claims require proof of purchase and service records. The Initial Warrant of Fitness (WOF) is provided at vehicle registration, with subsequent annual inspections required from the 3rd year. This warranty covers the subsequent WOF inspections at years 3, 4, 5, 6, 7 at an LDV Authorised Service Centre. This warranty complies with local laws and does not limit or exclude your statutory right under the Consumer Guarantees Act. Exclusions apply: COF inspections and certification costs for Deliver 9 (heavy-duty) vehicles are not covered by the LDV Warranty. Warranty coverage applies to eligible WOF vehicles.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz

For more information, visit ldv.co.nz



DELIVER 9 MY24 RANGE

TECHNICAL SPECIFICATION



	BIG	BIG HEAVY DUTY	BIGGER	BIGGER HEAVY DUTY	BIGGEST	CAB CHASSIS L3	CAB CHASSIS L4	MINIBUS 12 SEATER	MINIBUS 14 SEATER
Electric retractable side step	-	-	-	-	-	-	-	•	•
Cargo Area									
Non slip entry steps – side and rear	•	•	•	•	•	NA	NA	NA	NA
Sturdy tie-down points (6 on MWB model, 8 on LWB models)	•	•	•	•	•	NA	NA	NA	NA
Heavy duty, non-slip hard rubber flooring	•	•	•	•	•	NA	NA	NA	NA
LED illuminated rear cargo lighting	•	•	•	•	•	NA	NA	NA	NA
Interior Features									
Air conditioning	Front	Front	Front	Front	Front	Front	Front	Front + Rear	Front + Rear
Multifunction steering wheel - Leather accented*	•	•	•	•	•	•	•	•	•
Auto Wipers - Rain Sensing	•	•	•	•	•	•	•	•	•
Electronic Park Brake	•	•	•	•	•	•	•	•	•
Power windows (front)	•	•	•	•	•	•	•	•	•
4.2 inch LCD instrument cluster	•	•	•	•	•	•	•	•	•
8 way adjustable driver's seat with fold down armrest	•	•	•	•	•	•	•	•	•
Fold down front row middle seat back	•	•	•	•	•	•	•	•	•
Bench seat which fits two passengers	•	•	•	•	•	-	-	-	-
Built in under seat storage	•	•	•	•	•	-	-	-	-
Overhead storage compartments	•	•	•	•	•	•	•	•	•

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

Terms and conditions: *The warranty is valid for vehicles registered on or after 1 January 2025 and covers a period of 7 years or 200,000kms (whichever comes first) for Internal Combustion Engine (ICE) powered vehicles or 7 years or 160,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues such as design, assembly, or raw materials in covered parts but excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents or unauthorised repairs. To maintain the warranty, the vehicle must be serviced as per the maintenance schedule set out in the Service & Warranty Booklet. Warranty claims require proof of purchase and service records. The Initial Warrant of Fitness (WOF) is provided at vehicle registration, with subsequent annual inspections required from the 3rd year. This warranty covers the subsequent WOF inspections at years 3, 4, 5, 6, 7 at an LDV Authorised Service Centre. This warranty complies with local laws and does not limit or exclude your statutory right under the Consumer Guarantees Act. Exclusions apply: COF inspections and certification costs for Deliver 9 (heavy-duty) vehicles are not covered by the LDV Warranty. Warranty coverage applies to eligible WOF vehicles.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz

For more information, visit ldv.co.nz



DELIVER 9 MY24 RANGE

TECHNICAL SPECIFICATION



	BIG	BIG HEAVY DUTY	BIGGER	BIGGER HEAVY DUTY	BIGGEST	CAB CHASSIS L3	CAB CHASSIS L4	MINIBUS 12 SEATER	MINIBUS 14 SEATER
Driver and front passenger deep door pockets	•	•	•	•	•	•	•	•	•
12.3" Infotainment Display with Bluetooth, FM/AM/MP3 Player, Apple CarPlay™ & Android Auto™	•	•	•	•	•	•	•	•	•
Two USB ports	•	•	•	•	•	•	•	•	•
Warranty									
7 year/200,000km Warranty*	•	•	•	•	•	•	•	•	•

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

Terms and conditions: *The warranty is valid for vehicles registered on or after 1 January 2025 and covers a period of 7 years or 200,000kms (whichever comes first) for Internal Combustion Engine (ICE) powered vehicles or 7 years or 160,000km (whichever comes first) on Electric Vehicles (EVs), starting from the date of first registration. It covers manufacturing defects caused by issues such as design, assembly, or raw materials in covered parts but excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents or unauthorised repairs. To maintain the warranty, the vehicle must be serviced as per the maintenance schedule set out in the Service & Warranty Booklet. Warranty claims require proof of purchase and service records. The Initial Warrant of Fitness (WOF) is provided at vehicle registration, with subsequent annual inspections required from the 3rd year. This warranty covers the subsequent WOF inspections at years 3, 4, 5, 6, 7 at an LDV Authorised Service Centre. This warranty complies with local laws and does not limit or exclude your statutory right under the Consumer Guarantees Act. Exclusions apply: COF inspections and certification costs for Deliver 9 (heavy-duty) vehicles are not covered by the LDV Warranty. Warranty coverage applies to eligible WOF vehicles.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz





LDV

Disclaimer: Safety technologies may not operate optimally under all driving conditions, operation and effectiveness depends on many factors. Driver is responsible for safe and attentive driving. Safety technologies are not a substitute for the driver's control over the vehicle. See owner's manual for complete details. Payload and tare weight figures are based on vehicle certification. It is the driver's responsibility to ensure: weight of fully loaded vehicles do not exceed GVM; front and rear axle load limits are not individually exceeded; the combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM; compliance to New Zealand towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories and tow ball download (when towing). Tare weight includes the vehicle with 10 litres of fuel and all standard equipment excluding occupants. Additional weights of optional features, occupants, luggage, cargo, accessories and tow ball download (when towing) must be taken into account when calculating payload and tare weight. When a genuine tow bar with wiring is fitted, and trailer is attached, parking sensors will be disabled.

*The warranty is for a period of 7 years or 200,000kms / 160,000kms for EVs (whichever comes first), from the date of first registration, provided that the vehicle is serviced as per the maintenance schedule set out in the Service & Warranty Booklet. It covers manufacturing defects caused by factors such as design, assembly, and raw materials of the covered parts along with all-inclusive roadside assistance. It excludes routine maintenance, wear-and-tear items, and damage caused by misuse, accidents, or unauthorised repairs. Warranty claims require proof of purchase and service records. This warranty complies with local laws and does not affect your statutory rights. This is valid on all vehicles registered on or after 1 December 2024. For full details, visit <https://ldv.co.nz/warranty/>.

ALL RIGHTS RESERVED. LDV New Zealand reserves the right to vary vehicle specifications and standard features in New Zealand from those detailed in this brochure. Vehicles shown in this brochure may be fitted with accessories or may feature equipment that is not available in New Zealand-spec models. Please check with your local authorised LDV Dealership. No part of this brochure can be reproduced without written permission from LDV New Zealand. Visit ldv.co.nz